

# EU Type Examination Certificate

Date: 2020/10/02

n. **469204033/OE**

Validity:  
2024/06/11

This Certificate cancels and replaces the previous one n° 469192402/OE dated 2019/06/12.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	<b>SDE MOTORSPORT s.r.l.</b> via Giorgione, 5 – 31030 ALTIVOLE (TV) – ITALIA
Type of PPE:	<b>motorcyclists' protective footwear</b>
Category of PPE:	<b>II : "medium" risks.</b> This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model	<b>"TERRA EVO LOW Dry FORC53W"</b> col. BLACK (99)
Description:	<p><u>fastening system</u>: by means of three straps made of black polymeric material and a flap with velcro closure in the upper external are of the bootleg;</p> <p><u>processing</u>: IDEAL;</p> <p><u>outsole</u>: black rubber ENDURO U6797 GT56 marked "FORMA" in the plantar arch area (MF0336) and grey midsole;</p> <p><u>upper</u>: black leather DAKAR 2.4-2.6 IDRO (PE0045);</p> <p><u>front joint</u>: black calf lined leather "Idro" with declared thickness 1,0 mm (PE0065) matched with white foam material (IR0001) and black coated leather-like fabric (SI0161);</p> <p><u>rear joint</u>: black calf lined leather "Idro" with declared thickness 1,0 mm (PE0065) matched with white foam material (IR0001) and with black felt;</p> <p><u>vamp and quarter lining</u>: grey fabric marked "FORMA DRYTEX" matched with grey foam material, white membrane and white knitting FOD. TEPOR + ATL.ROVESCIAITA + ST.F. (FO0207) which covers the insole;</p> <p><u>collar lining</u>: black fabric matched with grey foam material EUROPA + MTP3MMFTO (FO0162);</p> <p><u>collar</u>: black coated microfiber 1807 (AC1341) which include an anthracite grey foam material;</p> <p><u>insole</u>: white semirigid polymeric material (MF0118);</p> <p><u>removable insock (perforated)</u>: white foam material matched with grey non-woven fabric (MF0358);</p> <p><u>gearshift lever protective insert</u>: black polymeric material.</p> <p>The boots also have the following inserts in polymeric material stitched onto the upper, as follows:</p> <ul style="list-style-type: none"> <li>- <u>heel insert</u>: black color with logo;</li> <li>- <u>calf insert</u>: black color with logo, marked "Forma" in black with Italian flag;</li> <li>- <u>lateral external insert</u>: black color with label "DRYTEX";</li> <li>- <u>lateral internal insert</u>: black color;</li> <li>- <u>internal and external ankle insert</u>: black color.</li> </ul>
Technical Standard:	<b>EN 13634:2017</b> Protective footwear for motorcycle riders – Requirements and test methods

## EU Type Examination Certificate

Date: 2020/10/02

n. **469204033/OE**

Validity:  
2024/06/11

Intended use:	use by motorcyclists for off-road and motocross activities								
Size range:	from 38 to 49								
Technical File:	<b>DC-12634/E</b>								
Test report:	<b>RCT n°3812022</b>								
Functions and performance levels:	<p><b>Requirements according to EN 13634:2017:</b> all mandatory ones, among which:</p> <table> <tr> <td>Height of upper</td><td>level <b>2</b></td></tr> <tr> <td>Impact abrasion resistance of the upper</td><td>level <b>2</b></td></tr> <tr> <td>Impact cut resistance of the upper</td><td>level <b>2</b></td></tr> <tr> <td>Transverse rigidity of the whole footwear</td><td>level <b>2</b></td></tr> </table> <p><b>Optional requirements according to EN 13634:2017:</b> <b>WR</b> = water resistance of the whole footwear.</p> <p>NOTE: the Technical Standard provides 2 performance levels with level 2 meaning the higher performance.</p>	Height of upper	level <b>2</b>	Impact abrasion resistance of the upper	level <b>2</b>	Impact cut resistance of the upper	level <b>2</b>	Transverse rigidity of the whole footwear	level <b>2</b>
Height of upper	level <b>2</b>								
Impact abrasion resistance of the upper	level <b>2</b>								
Impact cut resistance of the upper	level <b>2</b>								
Transverse rigidity of the whole footwear	level <b>2</b>								

Marking:

printed on a stitched label and displaying the following information:

- **CE Marking;**
- name/Trademark of the Manufacturer;
- item designation (= commercial name + alphanumeric code);
- pictogram to indicate the motorcycle use + nr./year of the reference Standard + levels of performance reached during laboratory tests + optional requirement WR;
- date of production (month and year) + pictogram instructing to read the User Manual;
- size indication;
- additional information: "Designed in...", "Made in..." + batch number.



**EN 13634:2017**  
**Level 2 - 2 - 2 - 2 WR**  
**TERRA EVO LOW Dry**  
**FORC53W**



**LOT#xxxx mm/yy**



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.  
The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

