

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





### **EU Type Examination Certificate**

Date: 2021/12/27 n. 469215201/OE Validity: 2026/12/26

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	SDE MOTORSPORT s.r.l. via Giorgione, 5 – 31030 ALTIVOLE (TV) – ITALY	
Type of PPE:	motorcyclists' protective footwear	
Category of PPE:	II: "medium" risks.  This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.	

Model "TERRAIN EVOLUTION TX FORC600"

(5 colourways)

Description:

Description of the BLACK (99) colour variant(\*):

BLACK (99)



closure and a flap extending from the external side of the shin insert with hook and loop

fastening system: by means of four adjustable polymeric straps with ratchet buckle

processing: Ideal;

outsole: black rubber (MF0237);

midsole: grey polymeric material (MF0373);

upper: black foam coated with black polymeric material (\$10207) reinforced with grey

front and lateral joint: black non-woven fabric coated with black polymeric material (\$10266) coupled with white and grey foam material (IR0114) and grey knitted fabric

fabric (SI0187) and black non-woven fabric (SI0004);

collar: black fabric (AC0659) folded on itself and padded with grey foam material

(IRO005);



(\*) These boots are also available in the

following colour

BLACK/ORANGE/

**RED/WHITE (1098)**;

GREY/WHITE/YELLOW

YELLOW FLUO/WHITE/

See pictures on pages

WHITE (991698);

FLUO (159878);

BLUE (789811).

2 and 3.

variants:

coated with black polymeric material (SI0161) that also acts as lining in the front joint only; rear joint: black non-woven fabric coated with black polymeric material (\$10266) coupled with white and grey foam material (IR0114) and black non-woven fabric

vamp lining: black felt (\$10292);

guarter lining: black knitted fabric coupled with grey foam (FO0176);

bootleg lining: black knitted fabric coupled with grey foam (FO0175);

collar lining: black fabric (AC0659);

bellows: black knitted fabric coated with black polymeric material (\$10308);

insole: beige semi-rigid polymeric material (MF0370) used in size 38; beige semi-rigid

polymeric material (MF0175) used in sizes from 39 to 49;

removable insock (perforated): black foam material coupled with black non-woven fabric (MF0357) in contact with the user, used in sizes from 38 to 47; black foam material c<mark>ou</mark>pled with black non-woven fabric (MF0365) in contact with the user, used in sizes 48 and 49;

metallic insert of the toe-tip: joined to the footwear by means of screws.

The boot has stiff inserts in polymeric material stitched on the upper, as follows:

- shin insert: black marked "FORMA" in white with white logo (PL1083);
- heel insert: black (PL0593);
- calf insert: black with white logo (PL0851);
- <u>lateral (external) insert</u>: black marked "TERRAIN TX" (PL0849M);
- higher lateral (internal) insert: black marked "TERRAIN TX" (PL1085);
- <u>lower lateral (internal) insert</u>: black marked "TERRAIN TX" (PL0848);
- internal and external ankle insert: black (PL1094).







Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## **EU Type Examination Certificate**

Date: 2021/12/27 n. 469215201/OE Validity: 2026/12/26

Technical Standard:		Protective footwear for motorcycle riders Requirements and test methods	
Intended use:	use by motorcyclists for off-road and motocross activities		
Size range:	fro <mark>m</mark> 38 to 49		
Technical File:	DC-13979/E		
Test report:	RCT n° 4015110/E		
Functions and	Requirements according to EN 13634:2017: all mandatory ones, among which:		
performance levels:	Height of upper	level <b>2</b>	
	Impact abrasion resistance of the up	per level <b>2</b>	
	Impact cut resistance of the upper	level <b>2</b>	
	Transverse rigidity of the whole footwo	ear level <b>2</b>	
	NOTE: the Technical Standard provides 2 performance levels with level 2 meaning the higher performance.		

Marking:



Made in **43** Romania



EN 13634:2017 Level 2 - 2 - 2 - 2 TERRAIN EVOLUTION TX FORC600





printed on a stitched label and displaying the following information: - CE Marking;

- name/Trademark of the Manufacturer;
- item designation (= commercial name + alphanumeric code);
- pictogram to indicate the motorcycle use + nr./year of the reference Standard + levels of performance reached during laboratory tests;
- date of production (month and year);
- pictogram instructing to read the User Manual;
- size indication;
- additional information: "Made in..." and batch number.







### PRD Nº 0230 P

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# EU Type Examination Certificate

Date: 2021/12/27 n. **469215201/OE** Validity: 2026/12/26



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

